bright MLS

Unit Detail

Hide All Configuration Options

Item: 0012: Ext 36" x 80" S2103-SDL RHI 4 9/16" On-Guard Primed **Location:** **Quantity: 1**

Exterior View

Smooth Star 36"x80" Single Door

Interior View

Configuration Options Hide

- **Product Category:** Exterior Doors
- **Manufacturer:** Reeb - Smooth Star
- **Product Material:** Smooth Star Fiberglass
- **Material Type:** Smooth Star
- **Product Type:** Entry
- **Brand:** Therma-Tru
- **Configuration (Units viewed from Exterior):** Single Door
- **Reeb Finish:** No
- **Slab Width:** 36"
- **Slab Height:** 80"
- **Product Style:** 3/4 Lite
- **Glass Type:** Clear
- **Glass Style:** SDL



EXTERIOR
Right-Hand Inswing

Generate NFRC Label

- **Glazing Type:** Flush Glazed
- **Insulation:** Insulated Glass
- **Grille Type:** SDL Standard Profile
- **Model:** S2103-SDL
- **Grille Material:** Therma-Tru High Heat Composite SDL
- **Frame Material:** On-Guard Primed
- **Handing:** Right Hand Inswing
- **Casing/Brickmould Pattern:** None
- **Hinge Type:** Ball Bearing
- **Hinge Brand:** Therma-Tru
- **Hinge Finish:** Zinc Di-Chromate (Yellow Zinc)
- **Jamb Depth:** 4 9/16"
- **Sill:** Composite Adjustable
- **Sill Finish:** Bronze Finish w Dark Cap
- **Lock Option:** None
- **Bore:** Double Lock Bore 2-3/8" Backset
- **Strike Jamb Prep:** Schlage/Baldwin Standard Prep
- **Weatherstrip Type:** Compression
- **Weatherstrip Color:** Whit
- **Custom Height Option:** No
- **Kick Plate:** None
- **Sill Cover:** No
- **Sill Pan:** No
- **Rough Opening Width:** 38 1/2"
- **Rough Opening Height:** 82 1/2"
- **Total Unit Width(Includes Exterior Casing):** 37 5/8"
- **Total Unit Height(Includes Exterior Casing):** 8
- **Energy Star Zone:** Not Qualified
- **CPD:** THC-M-5-04143-00001

- **U-Factor:** 0.34
- **Solar Heat Gain Coefficient:** 0.34
- **Visible Transmittance:** 0.35
- **Air Leakage:** 0.3

Save

Benjamin Moore

Boothbay Gray HC-165 | Benja... See more

SCHLAGE Camelot Single Cylinder Handleset and Georgian Knob, Antique Brass (F60 CAM 609 GEO)